

# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Alfalfa, hay, southern</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Perennial Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>3/1</b> End Growth: <b>10/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	2.12	0.05	1.57	0.07	1.54	0.07	
April	4.22	0.07	4.15	0.10	4.12	0.14	0.15
May	7.05	0.17	6.88	0.24	6.81	0.23	0.25
June	9.71	0.42	9.28	0.60	9.11	0.32	0.35
July	10.64	0.92	9.72	1.31	9.33	0.34	0.38
August	9.02	1.31	7.70	1.86	7.15	0.29	0.32
September	6.33	0.68	5.65	0.97	5.36	0.20	0.22
October	3.67	0.45	2.72	0.64	2.53	0.12	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>52.75</b>	<b>4.08</b>	<b>47.67</b>	<b>5.79</b>	<b>45.96</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Alfalfa, hay, southern**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **3/1**      End Growth: **10/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Cabbage</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>8/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.49	0.06	0.93	0.09	0.91	0.05	
May	4.48	0.15	4.33	0.21	4.27	0.14	0.16
June	7.02	0.36	6.65	0.52	6.50	0.23	0.26
July	7.51	0.77	6.73	1.10	6.41	0.24	0.26
August	4.56	1.00	3.06	1.42	2.65	0.15	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>25.06</b>	<b>2.34</b>	<b>21.72</b>	<b>3.33</b>	<b>20.73</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Cabbage**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **8/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Carrots</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>9/1</b> End Growth: <b>4/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	1.23	0.20	1.03	0.28	0.94	0.04	0.04
February	1.51	0.11	1.40	0.15	1.36	0.05	0.06
March	2.16	0.05	2.11	0.08	2.08	0.07	0.08
April	2.15	0.06	1.59	0.09	1.56	0.07	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	2.59	0.54	1.56	0.76	1.33	0.08	
October	2.27	0.43	1.85	0.60	1.67	0.07	0.08
November	1.57	0.18	1.39	0.25	1.32	0.05	0.06
December	1.16	0.29	0.87	0.42	0.75	0.04	0.04
<b>TOTAL</b>	<b>14.64</b>	<b>1.86</b>	<b>11.79</b>	<b>2.63</b>	<b>11.01</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Carrots**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **9/1**      End Growth: **4/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Chile, green</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>8/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.49	0.06	0.93	0.09	0.91	0.05	
May	4.48	0.15	4.33	0.21	4.27	0.14	0.16
June	7.02	0.36	6.65	0.52	6.50	0.23	0.26
July	7.51	0.77	6.73	1.10	6.41	0.24	0.26
August	4.56	1.00	3.06	1.42	2.65	0.15	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>25.06</b>	<b>2.34</b>	<b>21.72</b>	<b>3.33</b>	<b>20.73</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Chile, green**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **8/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Chile, red</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>10/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.33	0.06	0.77	0.08	0.75	0.04	
May	3.79	0.14	3.65	0.20	3.59	0.12	0.13
June	6.42	0.35	6.07	0.50	5.92	0.21	0.23
July	7.83	0.79	7.04	1.12	6.71	0.25	0.28
August	6.91	1.17	5.74	1.65	5.25	0.22	0.24
September	4.59	0.62	3.97	0.88	3.71	0.15	0.16
October	2.07	0.41	1.16	0.58	0.99	0.07	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>32.94</b>	<b>3.54</b>	<b>28.40</b>	<b>5.02</b>	<b>26.92</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET (Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Chile, red**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **10/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Corn, grain</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>10/15</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.76	0.06	1.20	0.09	1.17	0.06	
May	4.08	0.14	3.93	0.20	3.87	0.13	0.14
June	7.67	0.38	7.29	0.54	7.13	0.26	0.28
July	10.19	0.90	9.29	1.28	8.92	0.33	0.36
August	8.93	1.31	7.62	1.85	7.08	0.29	0.31
September	6.16	0.68	5.48	0.96	5.20	0.20	0.22
October	1.78	0.22	1.05	0.32	0.96	0.12	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>40.56</b>	<b>3.69</b>	<b>35.87</b>	<b>5.23</b>	<b>34.33</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET (Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Corn, grain**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **10/15**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Corn, silage</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>8/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.75	0.06	1.19	0.09	1.17	0.06	
May	4.32	0.14	4.17	0.20	4.11	0.14	0.15
June	8.33	0.39	7.94	0.56	7.77	0.28	0.30
July	10.28	0.90	9.38	1.28	9.00	0.33	0.36
August	8.35	1.24	6.61	1.76	6.09	0.28	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>33.03</b>	<b>2.74</b>	<b>29.29</b>	<b>3.89</b>	<b>28.14</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Corn, silage**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **8/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Cotton</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>11/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.84	0.06	0.29	0.08	0.26	0.03	
May	2.11	0.13	1.98	0.18	1.93	0.07	0.07
June	4.67	0.32	4.35	0.45	4.22	0.16	0.17
July	8.35	0.81	7.54	1.15	7.20	0.27	0.29
August	8.56	1.28	7.28	1.81	6.74	0.28	0.30
September	6.04	0.67	5.36	0.95	5.08	0.19	0.21
October	3.26	0.45	2.81	0.64	2.62	0.11	0.12
November	1.30	0.17	0.63	0.25	0.55	0.04	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>35.13</b>	<b>3.89</b>	<b>30.24</b>	<b>5.52</b>	<b>28.61</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Cotton**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **11/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Grain, spring</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>3/15</b> End Growth: <b>6/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.73	0.03	0.20	0.04	0.19	0.04	
April	4.06	0.07	3.99	0.10	3.96	0.14	0.15
May	7.91	0.18	7.74	0.25	7.66	0.26	0.28
June	3.74	0.30	2.93	0.43	2.81	0.12	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>16.44</b>	<b>0.58</b>	<b>14.86</b>	<b>0.82</b>	<b>14.61</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Grain, spring**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **3/15** End Growth: **6/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Grapes</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Perennial Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>3/1</b> End Growth: <b>9/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.82	0.05	0.27	0.07	0.25	0.03	
April	2.19	0.06	2.13	0.09	2.10	0.07	0.08
May	4.63	0.15	4.48	0.21	4.42	0.15	0.16
June	6.89	0.36	6.52	0.51	6.37	0.23	0.25
July	7.69	0.78	6.90	1.11	6.58	0.25	0.27
August	6.44	1.14	5.30	1.61	4.83	0.21	0.23
September	3.88	0.58	2.80	0.82	2.56	0.13	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>32.53</b>	<b>3.12</b>	<b>28.41</b>	<b>4.43</b>	<b>27.10</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET (Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Grapes**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **3/1**      End Growth: **9/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Herbs Spring</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>2/1</b> End Growth: <b>4/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.84	0.10	0.25	0.14	0.20	0.03	
March	2.47	0.06	2.41	0.08	2.39	0.08	0.09
April	2.75	0.07	2.19	0.09	2.16	0.09	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>6.06</b>	<b>0.22</b>	<b>4.85</b>	<b>0.31</b>	<b>4.75</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET (Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Herbs Spring**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**



Crop Curve: **Blaney Criddle Annual Crop**

Begin Growth: **2/1**      End Growth: **4/30**

Net irrigation application: **2** inches

Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Herbs Fall</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>8/1</b> End Growth: <b>11/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	4.11	0.97	2.64	1.37	2.24	0.13	
September	4.84	0.63	4.21	0.89	3.95	0.16	0.17
October	3.38	0.45	2.93	0.64	2.74	0.11	0.12
November	1.32	0.17	0.64	0.25	0.57	0.04	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>13.65</b>	<b>2.22</b>	<b>10.43</b>	<b>3.15</b>	<b>9.50</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 8/16/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Herbs Fall**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **8/1**      End Growth: **11/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Herbs Summer</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>7/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.64	0.06	1.08	0.09	1.06	0.05	
May	4.90	0.15	4.75	0.21	4.69	0.16	0.17
June	6.96	0.36	6.60	0.52	6.45	0.23	0.25
July	5.49	0.68	4.31	0.96	4.03	0.18	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>19.00</b>	<b>1.25</b>	<b>16.75</b>	<b>1.77</b>	<b>16.23</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Herbs Summer**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **7/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Lawn cool season</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>1</b> inches
Crop Curve: <b>Blaney Criddle Perennial Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>2/15</b> End Growth: <b>11/15</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.57	0.04	0.03	0.06	0.02	0.04	
March	2.26	0.05	2.22	0.06	2.20	0.07	0.08
April	3.66	0.06	3.60	0.08	3.58	0.12	0.14
May	5.85	0.13	5.72	0.19	5.66	0.19	0.22
June	7.94	0.32	7.62	0.46	7.49	0.26	0.30
July	8.84	0.70	8.14	0.99	7.85	0.29	0.33
August	7.70	1.02	6.68	1.45	6.25	0.25	0.28
September	5.55	0.55	5.00	0.78	4.77	0.18	0.20
October	3.31	0.38	2.93	0.54	2.77	0.11	0.12
November	0.78	0.07	0.21	0.11	0.18	0.05	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>46.47</b>	<b>3.32</b>	<b>42.15</b>	<b>4.71</b>	<b>40.76</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Lawn cool season**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **2/15**      End Growth: **11/15**

Net irrigation application: **1** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Lawn warm season</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>1</b> inches
Crop Curve: <b>Blaney Criddle Perennial Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>9/15</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	3.12	0.06	2.56	0.08	2.54	0.10	
May	5.85	0.13	5.72	0.19	5.66	0.19	0.22
June	7.94	0.32	7.62	0.46	7.49	0.26	0.30
July	8.84	0.70	8.14	0.99	7.85	0.29	0.33
August	7.70	1.02	6.68	1.45	6.25	0.25	0.28
September	2.73	0.27	1.96	0.38	1.85	0.18	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>36.18</b>	<b>2.50</b>	<b>32.68</b>	<b>3.54</b>	<b>31.63</b>		

- (1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.
- (2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.
- (3) ET (Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Lawn warm season**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **4/1**      End Growth: **9/15**

Net irrigation application: **1** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Lettuce, fall plant</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>8/1</b> End Growth: <b>10/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	4.63	0.99	3.14	1.41	2.72	0.15	
September	5.15	0.64	4.51	0.91	4.25	0.17	0.18
October	2.59	0.42	1.67	0.60	1.49	0.09	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>12.37</b>	<b>2.06</b>	<b>9.32</b>	<b>2.92</b>	<b>8.46</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Lettuce, fall plant**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **8/1** End Growth: **10/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

Irrigation Water Requirements  
Normal Year (50% chance)



Irrigation Water Requirements  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Melons, spring</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>7/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.83	0.06	1.27	0.09	1.24	0.06	
May	4.68	0.15	4.54	0.21	4.48	0.15	0.17
June	6.90	0.36	6.54	0.51	6.39	0.23	0.25
July	6.67	0.72	5.44	1.03	5.14	0.22	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>20.08</b>	<b>1.30</b>	<b>17.79</b>	<b>1.84</b>	<b>17.25</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Melons, spring**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1**      End Growth: **7/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Onion, fall plant, fresh</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>2/1</b> End Growth: <b>6/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.68	0.10	0.08	0.14	0.04	0.02	
March	2.09	0.05	2.03	0.08	2.01	0.07	0.07
April	3.49	0.07	3.42	0.10	3.39	0.12	0.13
May	5.10	0.15	4.95	0.21	4.89	0.16	0.18
June	4.83	0.32	4.01	0.46	3.87	0.16	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>16.19</b>	<b>0.69</b>	<b>14.50</b>	<b>0.98</b>	<b>14.21</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Onion, fall plant, fresh**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **2/1** End Growth: **6/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Onion, spring plant, dry</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>10/1</b> End Growth: <b>3/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	1.22	0.20	1.02	0.28	0.93	0.04	0.04
February	1.42	0.10	1.32	0.15	1.27	0.05	0.06
March	1.60	0.05	1.05	0.07	1.03	0.05	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	0.00	0.00	0.00	0.00	0.00	0.00	
October	2.01	0.41	1.11	0.58	0.94	0.06	
November	1.42	0.18	1.24	0.25	1.17	0.05	0.05
December	1.15	0.29	0.86	0.42	0.73	0.04	0.04
<b>TOTAL</b>	<b>8.82</b>	<b>1.23</b>	<b>6.59</b>	<b>1.75</b>	<b>6.07</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Onion, spring plant, dry**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **10/1**      End Growth: **3/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Pecans w cover crop</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>4</b> inches
Crop Curve: <b>Blaney Criddle Perennial Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>11/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	3.60	0.08	3.02	0.11	2.99	0.12	
May	7.08	0.19	6.89	0.27	6.81	0.23	0.24
June	9.71	0.45	9.26	0.64	9.07	0.32	0.34
July	10.64	0.95	9.69	1.34	9.30	0.34	0.37
August	9.02	1.47	7.55	2.09	6.93	0.29	0.31
September	6.33	0.77	5.57	1.09	5.25	0.20	0.22
October	3.77	0.52	3.25	0.74	3.04	0.12	0.13
November	1.74	0.20	1.04	0.28	0.95	0.06	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>51.88</b>	<b>4.62</b>	<b>46.26</b>	<b>6.55</b>	<b>44.33</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Pecans w cover crop**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **4/1**      End Growth: **11/30**

Net irrigation application: **4** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Pecan, &gt; 10 yrs, no cover</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>4</b> inches
Crop Curve: <b>Blaney Criddle Perennial Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>11/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.61	0.07	1.04	0.10	1.01	0.05	
May	4.51	0.16	4.34	0.23	4.28	0.15	0.15
June	7.86	0.43	7.43	0.61	7.26	0.26	0.28
July	9.34	0.95	8.39	1.34	8.00	0.30	0.32
August	7.45	1.35	6.10	1.91	5.54	0.24	0.26
September	4.44	0.69	3.75	0.98	3.46	0.14	0.15
October	2.09	0.47	1.61	0.67	1.35	0.07	0.07
November	0.71	0.19	0.02	0.27	0.00	0.02	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>38.00</b>	<b>4.30</b>	<b>32.70</b>	<b>6.10</b>	<b>30.90</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Pecan, > 10 yrs, no cover**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **4/1**      End Growth: **11/30**

Net irrigation application: **4** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Pumpkin</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>4/1</b> End Growth: <b>9/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	1.72	0.06	1.16	0.09	1.13	0.06	
May	3.88	0.14	3.74	0.20	3.68	0.13	0.14
June	6.51	0.35	6.16	0.50	6.01	0.22	0.24
July	7.78	0.79	7.00	1.12	6.67	0.25	0.27
August	6.53	1.14	5.39	1.62	4.91	0.21	0.23
September	4.34	0.60	3.25	0.85	3.00	0.14	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
<b>TOTAL</b>	<b>30.76</b>	<b>3.08</b>	<b>26.68</b>	<b>4.37</b>	<b>25.39</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET (Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Pumpkin**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **4/1** End Growth: **9/30**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End **0.5** inches

**Irrigation Water Requirements**  
Normal Year (50% chance)



**Irrigation Water Requirements**  
Dry Year (80% chance)



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Spinach</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>8/1</b> End Growth: <b>2/28</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	1.16	0.20	0.96	0.28	0.87	0.04	0.04
February	0.95	0.10	0.35	0.14	0.31	0.03	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	3.31	0.92	1.89	1.31	1.50	0.11	
September	3.74	0.59	3.15	0.84	2.90	0.12	0.13
October	3.13	0.45	2.68	0.63	2.49	0.10	0.11
November	1.82	0.18	1.64	0.25	1.56	0.06	0.07
December	1.19	0.29	0.89	0.42	0.77	0.04	0.04
<b>TOTAL</b>	<b>15.30</b>	<b>2.74</b>	<b>11.56</b>	<b>3.88</b>	<b>10.42</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Spinach**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **8/1**      End Growth: **2/28**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Wheat, winter, grain</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>9/15</b> End Growth: <b>6/15</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	1.08	0.20	0.88	0.28	0.80	0.03	0.04
February	1.75	0.11	1.64	0.15	1.60	0.06	0.07
March	3.22	0.06	3.16	0.08	3.14	0.10	0.11
April	4.99	0.08	4.91	0.11	4.88	0.17	0.18
May	8.24	0.18	8.06	0.25	7.98	0.27	0.29
June	5.78	0.23	5.06	0.32	4.96	0.39	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	1.02	0.27	0.25	0.39	0.13	0.06	
October	1.50	0.41	1.10	0.58	0.93	0.05	0.05
November	1.07	0.17	0.90	0.24	0.83	0.04	0.04
December	0.93	0.29	0.64	0.41	0.52	0.03	0.03
<b>TOTAL</b>	<b>29.58</b>	<b>1.99</b>	<b>26.59</b>	<b>2.82</b>	<b>25.75</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Wheat, winter, grain**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **9/15**      End Growth: **6/15**

Net irrigation application: **2** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**



# Irrigation Water Requirements

## Crop Data Summary

Job: <b>Las Cruces</b>	Crop: <b>Wheat, winter, silage</b>
Location: <b>University</b>	County: <b>Dona Ana, NM</b>
By: <b>Rhett</b>	Date: <b>01/25/05</b>
Weather Station: <b>STATE UNIVERSITY</b>	Sta No: <b>NM8535</b>
Latitude: <b>3217</b> Longitude: <b>10645</b>	Elevation: <b>3880</b> feet above sea level
Computation Method: <b>Blaney Criddle (TR21)</b>	Net irrigation application: <b>2</b> inches
Crop Curve: <b>Blaney Criddle Annual Crop</b>	Estimated carryover moisture used at season:
Begin Growth: <b>9/15</b> End Growth: <b>3/30</b>	Begin: <b>0.5</b> inches      End: <b>0.5</b> inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	1.37	0.20	1.17	0.28	1.09	0.04	0.05
February	2.20	0.11	2.09	0.15	2.04	0.08	0.09
March	3.88	0.06	3.32	0.08	3.29	0.13	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	0.00	0.00	0.00	0.00	0.00	0.00	
June	0.00	0.00	0.00	0.00	0.00	0.00	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	1.05	0.28	0.27	0.39	0.16	0.06	
October	1.70	0.41	1.28	0.59	1.11	0.05	0.06
November	1.35	0.17	1.17	0.25	1.10	0.04	0.05
December	1.18	0.29	0.89	0.42	0.77	0.04	0.04
<b>TOTAL</b>	<b>12.72</b>	<b>1.53</b>	<b>10.20</b>	<b>2.16</b>	<b>9.56</b>		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/26/2005

# Irrigation Water Requirements

## Monthly Crop Water Requirements

Job: **Las Cruces**

Crop: **Wheat, winter, silage**

Location: **University**

Date: **01/25/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **9/15**      End Growth: **3/30**

Net irrigation application: **2** inches

Estimated carryover moisture used at season:

Begin: **0.5** inches      End: **0.5** inches

**Irrigation Water Requirements  
Normal Year (50% chance)**



**Irrigation Water Requirements  
Dry Year (80% chance)**

