

Irrigation Water Requirements

Crop Data Summary

Job: Roy	Crop: Alfalfa, hay, northern
Location: Mosquero	County: Harding, NM
By: MAS	Date: 7/28/05
Weather Station: MOSQUERO	Sta No: NM5937
Latitude: 3548 Longitude: 10356	Elevation: 5470 feet above sea level
Computation Method: Blaney Criddle (TR21)	Net irrigation application: 1 inches
Crop Curve: Blaney Criddle Perennial Crop	Estimated carryover moisture used at season:
Begin Growth: 4/1 End Growth: 9/30	Begin: 0.5 inches End: 0.5 inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	2.39	0.38	1.50	0.50	1.39	0.08	
May	5.41	0.85	4.56	1.10	4.31	0.17	0.20
June	7.95	1.11	6.83	1.45	6.50	0.26	0.30
July	8.98	1.36	7.62	1.77	7.22	0.29	0.33
August	7.57	1.39	6.18	1.80	5.77	0.24	0.28
September	4.87	0.74	3.63	0.96	3.41	0.16	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
TOTAL	37.16	5.84	30.32	7.57	28.59		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

Irrigation Water Requirements

Monthly Crop Water Requirements

Job: **Roy**

Crop: **Alfalfa, hay, northern**

Location: **Mosquero**

Date: **7/28/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Perennial Crop**


Begin Growth: **4/1** End Growth: **9/30**

Net irrigation application: **1** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

Irrigation Water Requirements
Normal Year (50% chance)



Irrigation Water Requirements
Dry Year (80% chance)



Irrigation Water Requirements

Crop Data Summary

Job: Roy	Crop: Corn, grain
Location: Mosquero	County: Harding, NM
By: MAS	Date: 7/28/05
Weather Station: MOSQUERO	Sta No: NM5937
Latitude: 3548 Longitude: 10356	Elevation: 5470 feet above sea level
Computation Method: Blaney Criddle (TR21)	Net irrigation application: 1 inches
Crop Curve: Blaney Criddle Annual Crop	Estimated carryover moisture used at season:
Begin Growth: 5/1 End Growth: 10/15	Begin: 0.5 inches End: 0.5 inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	1.96	0.68	0.78	0.88	0.58	0.06	
June	4.90	0.94	3.96	1.22	3.68	0.16	0.19
July	8.07	1.30	6.77	1.68	6.39	0.26	0.30
August	7.60	1.39	6.21	1.80	5.80	0.25	0.28
September	4.98	0.76	4.22	0.99	3.99	0.16	0.18
October	1.32	0.22	0.60	0.29	0.53	0.09	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
TOTAL	28.83	5.29	22.54	6.86	20.97		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

Irrigation Water Requirements

Monthly Crop Water Requirements


Job: **Roy**
 Location: **Mosquero**

Crop: **Corn, grain**


Computation Method: **Blaney Criddle (TR21)**
 Begin Growth: **5/1** End Growth: **10/15**

Date: **7/28/05**
 Crop Curve: **Blaney Criddle Annual Crop**
 Net irrigation application: **1** inches
 Estimated carryover moisture used at season:
 Begin: **0.5** inches End: **0.5** inches

**Irrigation Water Requirements
 Normal Year (50% chance)**



**Irrigation Water Requirements
 Dry Year (80% chance)**



Irrigation Water Requirements

Crop Data Summary

Job: Roy	Crop: Sorghum, grain
Location: Mosquero	County: Harding, NM
By: MAS	Date: 7/28/05
Weather Station: MOSQUERO	Sta No: NM5937
Latitude: 3548 Longitude: 10356	Elevation: 5470 feet above sea level
Computation Method: Blaney Criddle (TR21)	Net irrigation application: 1 inches
Crop Curve: Blaney Criddle Annual Crop	Estimated carryover moisture used at season:
Begin Growth: 5/1 End Growth: 10/30	Begin: 0.5 inches End: 0.5 inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	1.52	0.66	0.35	0.86	0.16	0.05	
June	4.91	0.94	3.97	1.22	3.69	0.16	0.19
July	8.15	1.30	6.85	1.69	6.46	0.26	0.30
August	7.34	1.37	5.97	1.78	5.56	0.24	0.27
September	4.27	0.73	3.54	0.95	3.32	0.14	0.16
October	1.91	0.42	0.99	0.55	0.86	0.06	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
TOTAL	28.09	5.43	21.67	7.04	20.05		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

Irrigation Water Requirements

Monthly Crop Water Requirements

Job: **Roy**

Crop: **Sorghum, grain**

Location: **Mosquero**

Date: **7/28/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **5/1** End Growth: **10/30**

Net irrigation application: **1** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

**Irrigation Water Requirements
Normal Year (50% chance)**



**Irrigation Water Requirements
Dry Year (80% chance)**



Irrigation Water Requirements

Crop Data Summary

Job: Roy	Crop: Sudangrass, hay or silage
Location: Mosquero	County: Harding, NM
By: MAS	Date: 7/28/05
Weather Station: MOSQUERO	Sta No: NM5937
Latitude: 3548 Longitude: 10356	Elevation: 5470 feet above sea level
Computation Method: Blaney Criddle (TR21)	Net irrigation application: 1 inches
Crop Curve: Blaney Criddle Annual Crop	Estimated carryover moisture used at season:
Begin Growth: 5/1 End Growth: 9/15	Begin: 0.5 inches End: 0.5 inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.00	0.00	0.00	0.00	0.00	0.00	
February	0.00	0.00	0.00	0.00	0.00	0.00	
March	0.00	0.00	0.00	0.00	0.00	0.00	
April	0.00	0.00	0.00	0.00	0.00	0.00	
May	1.70	0.67	0.53	0.87	0.34	0.05	
June	6.13	1.01	5.12	1.31	4.82	0.20	0.23
July	8.44	1.32	7.12	1.72	6.72	0.27	0.31
August	5.74	1.25	4.49	1.62	4.12	0.19	0.21
September	1.49	0.33	0.66	0.43	0.56	0.10	
October	0.00	0.00	0.00	0.00	0.00	0.00	
November	0.00	0.00	0.00	0.00	0.00	0.00	
December	0.00	0.00	0.00	0.00	0.00	0.00	
TOTAL	23.50	4.58	17.92	5.94	16.56		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

Irrigation Water Requirements

Monthly Crop Water Requirements

Job: **Roy**

Crop: **Sudangrass, hay or silage**

Location: **Mosquero**

Date: **7/28/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **5/1** End Growth: **9/15**

Net irrigation application: **1** inches


Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

**Irrigation Water Requirements
Normal Year (50% chance)**



**Irrigation Water Requirements
Dry Year (80% chance)**



Irrigation Water Requirements

Crop Data Summary

Job: Roy	Crop: Wheat, winter, grain
Location: Mosquero	County: Harding, NM
By: MAS	Date: 7/28/05
Weather Station: MOSQUERO	Sta No: NM5937
Latitude: 3548 Longitude: 10356	Elevation: 5470 feet above sea level
Computation Method: Blaney Criddle (TR21)	Net irrigation application: 1 inches
Crop Curve: Blaney Criddle Annual Crop	Estimated carryover moisture used at season:
Begin Growth: 9/1 End Growth: 6/15	Begin: 0.5 inches End: 0.5 inches

Month	Total Monthly ET (3) inches	Dry Year 80% Chance (1)		Normal Year 50% Chance (1)		Average Daily ETc inches	Peak Daily ETPk inches
		Effective Precipitation inches	Net Irrigation Requirements inches (2)	Effective Precipitation inches	Net Irrigation Requirements inches (2)		
January	0.61	0.12	0.49	0.15	0.46	0.02	0.02
February	0.95	0.11	0.84	0.14	0.81	0.03	0.04
March	2.02	0.29	1.73	0.37	1.64	0.07	0.07
April	3.55	0.42	3.13	0.55	3.01	0.12	0.13
May	6.35	0.90	5.45	1.16	5.19	0.20	0.23
June	4.73	0.61	3.63	0.79	3.45	0.32	
July	0.00	0.00	0.00	0.00	0.00	0.00	
August	0.00	0.00	0.00	0.00	0.00	0.00	
September	1.85	0.62	0.73	0.80	0.55	0.06	
October	1.23	0.42	0.81	0.54	0.69	0.04	0.05
November	0.73	0.28	0.45	0.36	0.36	0.02	0.03
December	0.55	0.16	0.38	0.21	0.33	0.02	0.02
TOTAL	22.57	3.92	17.65	5.08	16.48		

(1) For 80 percent occurrence, growing season effective precipitation will be equaled or exceeded 8 out of 10 years. For 50 percent chance occurrence, effective precipitation will be equaled or exceeded 1 out of 2 years.

(2) Net irrigation requirements is adjusted for carryover moisture used at the beginning of the season and carryover moisture used at the end of the growing season.

(3) ET Evapotranspiration) is adjusted upwards 10% per 1000 meters above sea level.

Date: 7/28/2005

Irrigation Water Requirements

Monthly Crop Water Requirements

Job: **Roy**

Crop: **Wheat, winter, grain**

Location: **Mosquero**

Date: **7/28/05**

Computation Method: **Blaney Criddle (TR21)**

Crop Curve: **Blaney Criddle Annual Crop**


Begin Growth: **9/1** End Growth: **6/15**

Net irrigation application: **1** inches

Estimated carryover moisture used at season:

Begin: **0.5** inches End: **0.5** inches

**Irrigation Water Requirements
Normal Year (50% chance)**



**Irrigation Water Requirements
Dry Year (80% chance)**

